

MAST	
MODEL	PARCO SL-136-A CANTILEVER/SPLIT LEVEL (Rebuilt)
HOOK CAPACITY	750,000 LB
CLEAR HEIGHT	136 FEET
RACKING CAPACITY	224 STANDS (TRIPLES)
CROWN BLOCK	6-48 INCH SHEAVES PLUS 1-55 INCH FAST LINE SHEAVE
LIFT LINES	1 ¾" 6X25, RL-XIP-1WRC
SUB STRUCTURE	
MODEL	PARCO SL-136-A (Rebuilt)
DRILL FLOOR HEIGHT	21 FEET
CASING CAPACITY	638,000 LB
SETBACK CAPACITY	487,000 LB
CAT WALK	
STRUCTURE	2 PIECES, EACH 18" H X 5' W X 30'L
DRAWWORKS	
MODEL	OIME SL 1500 (Rebuilt)
RATED HORSEPOWER	1,500HP
DRIVE MOTORS	2 @ GE752 TRACTION MOTORS W/ 10HP BLOWERS
AUXILIARY BRAKE	WICHITA MODEL 7-337-310-115
BRAKE COOLING	50 BBL WATER TANK, W/ 4 X 3 X 13
CENTRIFUGAL PUMP	1
ELECTRIC DRIVER	1 @ 30 HP
DRILL LINE	
MAKE	UNION WIRE ROPE (New)
TYPE	1 ¼" RRL, EIPS, IWRC (DOMESTIC)
DEADLINE ANCHOR	
MAKE	HERCULES MODEL 131-T, 100,000 LB (New)
DRILL LINE SPOOLER	
TYPE	AIR DRIVE, INGERSOL RAND, MODEL 92RB078 (New)
DRILL LINE	5,000 FT OF 1 ¼"

TRAVELING ASSEMBLY	
BLOCK	
MODEL	500 TON NATIONAL 500 (Rebuilt)
SHEAVES	6 @ 48" FOR 1 ¼" LINE
HOOK	
MODEL	500 TON BJ DYNAPLEX (Rebuilt)
ELEVATOR LINKS	132", 350 TON
ROTARY EQUIPMENT	
SWIVEL MODEL	500 TON NATIONAL 1324 (Rebuilt)
KELLY	
TYPE	HEXAGONAL
SIZE	5 ¼", 40 FEET
BUSHING	PIN DRIVE
KELLY HOSE TYPE	GRADE D – API 7K, 5000 PSI: 65 FEET LONG
ROTARY TABLE	
TYPE	GAOUOU HUAZING MODEL RT
SIZE	27 ½" SQUARE
RATING	500 TON
DRIVE	1 @ GE752 TRACTION MOTOR W/ 10HP DETACHED BLOWER
MASTER BUSHING	27MSPC
INSERTS BOWLS	1, 2 & 3
MUD HANDLING SYSTEM	
MUD PUMPS	2 @ BAOJI MODEL FC1600 – 1,600HP (New)
TYPE	TRIPLEX
DRIVERS	2 @ GE752 TRACTION MOTORS W/ 10HP BLOWERS
PULSATION DAMPENERS	HYDRILL K-20, 5000 PSI
CHARGING PUMPS	8 X 6 X 11 CENTRIFUGAL W/75 HP ELECTRIC DRIVER
TANKS	
SHAKER TANK	500 BBL (New)
SHALE SHAKERS	3 @ SWACO 400GPM, W/1.5 HP MOTORS (Rebuilt)
CIRCULATING PUMPS	2 @ 6 X 5 X 11 E/60 HP ELECTRIC DRIVERS
DEGASSER	1 DRILCO 700 GPM W/ 10 HP DRIVER (Rebuilt)
DESILTER	1 CRESTEX - 12 CONE, 600 GPM RATING
DESANDER	1 CRESTEX - 1 CONE, 10" 600 GPM RATING
SUCTION TANK	500 BBL (New)

PUMPS	2 @ 6 X 5 X 11 W/60 HP ELECTRIC DRIVERS
MUD AGITATORS	3 MAX 2000, WITH 10 HP ELECTRIC DRIVERS
HOPPERS	2 CRESTEX
RESERVE TANK	500 BBL (New)
MUD AGITATORS	3 MAX 2000, WITH 10 HP ELECTRIC DRIVERS
TRIP TANK	100 BBL (New)
CENTRIFUGAL PUMP	1 @ 4 X 3 X 13 WITH 30 HP ELECTRIC DRIVER
GENERATOR UNITS (New)	
ENGINES	3 DETROIT DIESEL POWER, MODEL 12V4000, 1,500HP
GENERATORS	3 BAYLOR, MODEL 5637 UNIT FOR SCR APPLICATION, 1225 KW, 1750 KVA
SCR HOUSE	
	IEC SYSTEMS LLC 3 GEN X 4 SCR SYSTEM (New)
	600 VAC, 750 VDC 3 PHASE
	CLIMATE CONTROLLED, SELF-CONTAINED UNIT
INPUT	1,600 AMPS, 60 HZ
OUTPUT	750 VDC, 2,000 AMP ADC
AUXILARY EQUIPMENT & STORAGE - (New)	
AIR COMPRESSOR	2 CURTIS 40 SERIES, SCREW TYPE, 173 CFM, 125 PSI POWERED BY 40 HP ELECTRIC DRIVERS
AIR RECEIVERS	2 @ 200 GALLON VERTICAL (New)
COLD START COMPRESSOR	1 @ LAMBARDINI 10 HP DIESEL PULL START, MODEL CAERSPKG, R SERIES and 1 @ 40 GALLON RECEIVER ATTACHED, 25.25 ACFM@ PSI
DOG HOUSE	1 @ 8 FEET X 35 FEET DRILLER'S SIDE MOUNTED
FUEL TANK	1 @ 286 BBL TANK W/ FUEL FILTER SYSTEM ATTACHED TO DAY TANK
DAY TANK	1 @ 400 GALLON ELEVATED
RCI FUEL PURIFIERS	2 DAYTON GPCV6V-05 PUMP WITH 2 HP, 3PH ELECTRIC PUMP MOTORS
WATER TANK	1 @ 483 BBL TANK
CENTRIFUGAL PUMPS	2 @ 4 X 3 X 13 DRIVEN BY 30 HP ELECTRIC MOTORS
INSTRUMENTATION, CONTROL & RECORDING EQUIPMENT	
DRILLER'S CONSOLE	AOI CUSTOM, SINGLE BAY W/ MODEL 100 WEIGHT INDICATOR (New)
ELECTRIC TORQUE INDICATOR	1
ROTARY RPM INDICATOR	1
PUMP PRESSURE GAUGE	1

TONG LINE PULL INDICATOR	1
DOWN TIME VALVE	1
PUMP STROKE COUNTER	1
SATELLITE AUTOMATIC DRILLER	1
DRILLER'S CONTROL CONSOLE (DCC)	12 POSITION SELECTOR SWITCH (New)
DRILLING / TRIPPING	1
DRAWWORKS SPEED SELECTION	1
SCR/MP-1/MP-2, DRAWWORKS/ROTARY, T.A. CONTROL UNIT	1
HYDRAULIC TONG CONTROLS	1
EMERGENCY BRAKE CONTROLS	1
DRILLING RECORDER	ARC SERIES 5 PEN RECORDER TO RECORD: HOOK LOAD, ROP, ROTARY TORQUE, PUMP PRESSURE, ROTARY RPM, TOTCO DEVIATION TOOL, 0-8 DEGREES (New)
BOP PREVENTION & WELL CONTROL EQUIPMENT	
PREVENTOR	ANNULAR TYPE, 13 5/8" API, SHAFFER 5,000 LB RATING (Rebuilt)
RAM TYPE PREVENTORS	1 @ 13 5/8" API, CAMERON TYPE U DOUBLE & SINGLE (Rebuilt)
EACH RAM SETS	1 OF EACH: 13 3/8", 9 5/8", 7", 6 5/8" AND 2 7/8" TO 5" VARIABLE AND 4 1/2" TO 7" VARIABLE (Rebuilt)
RISERS AND BELL NIPPLES	1 SET
ACCUMULATOR UNIT AND CONTROL	CONSOLIDATED PRESSURE CONTROL 5S-2160-25 MANIFOLD 5036, TRIPLEX PUMP, 220 GALLON, 3,000 PSI, 12 BOTTLE, 300 GAL RESERVOIR W. AIR PUMP & 25 HP DRIVER
CHOKE MANIFOLD	5,000 PSI CAMERON WITH SWACO ADJUSTABLE 2 9/16" API WITH REMOTE CONTROL PANEL ON RIG FLOOR
GAS BUSTER	OEM POOR BOY 26"
FLOAT VALVES	1 OF EACH OF 7 5/8", 6 5/8", 4 1/2" AND 3 1/2" CONNECTIONS
IBOP VALVE	1 EACH 4 1/2" IF X 3 1/2" API
BIT SUBS	1 EACH, 6 5/8" X 6 5/8" REG BOX (New)

	1 EACH, 4 ½ REG BOX X 4 ½" IF BOX (New)
	1 EACH, 7 5/8" REG BOX X 6 5/8" REG BOX (New)
KELLY SAVER SUB	1 EACH 4 ½" XH PIN X 4 ½" XH BOX (New)
CROSSOVERS & SUBS	2 EACH 4 ½" IF PIN X 6 5/8" REG BOX (New)
	1 EACH LIFTING SUB WITH 4 ½" REG PIN FOR 8" DRILL COLLARS, AND 6 ¼" DRILL COLLARS (New)
	1 EACH 6 5/8" REG PIN X 4 ½" IF BOX (New)
PIPE RACKS	8 EA, 3 SIDED, 18" H TO MATCH CATWALK (New)
DRILLING FLOOR EQUIPMENT (New)	
SLIPS	2 EACH WOOLEY XL TYPE A FOR, 8" DRILL COLLARS, 6 ¼" DRILL COLLARS, 4 ½" DRILL PIPE
ELEVATORS	2 EACH WOOLEY 350 TON FOR 4 ½" DRILL PIPE
TONGS	WOOLEY SUPER B FOR 8" DRILL COLLARS, 6 ¼" DRILL COLLARS, 4 ½" DRILL PIPE
SPINNING TONGS	JT FLOUR INTERNATIONAL MODEL SSW40
HYDRAULIC CATHEAD	2 – HYDRAULIC CYLINDERS WITH INDEPENDENT CONTROLS ON DRILLER'S CONSOLE
DOG COLLARS/SAFETY CLAMPS	1- 8 ½" DC, TYPE C COLLAR CLAMP WITH WRENCH 1- 6 ¼" DC
TM VALVE	1- 4 ½" XH PIN X 4 ½" XH BOX 6 ½" OD
HYDRAULIC POWER UNIT	1 – WORLD WIDE, 30 GPM, HARTMANN PVX464-CKXXX-20 FL PUMP W/ 20HP MODEL XWWE20-18-256TC, ELECTRIC DRIVE
AIR HOISTS	2- TEXAS FIRST INDUSTRIAL JQHSB-50X12, FOR 5/8" LINE SIZE
AIR TUGGERS	1- INGERSOL RAND MODEL LS2-600R-PH6N 3/8" LINE
AIR DRIVE	KELLY SPINNER, REVERSIBLE

Disclaimer:

The Company offers the details of this equipment in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the equipment. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This equipment is offered subject to prior Price, price change, or withdrawal without notice

